

MADE
WITH
SOUL



MAZDA



MAZDA CX-60

MAZDA.CO.ZA

5
YEAR
UNLIMITED KM
WARRANTY AND
SERVICE PLAN



THE CX-60 3.3L TURBO DIESEL MILD-HYBRID TAKUMI

With its exquisite interior and formidable drivetrain, the Mazda CX-60 3.3L Mild-Hybrid Electric Vehicle (MHEV) engine is an irresistible technological breakthrough that redefines the driving experience. This cutting-edge Turbocharged engine is designed to deliver a thrilling driving experience, boasting an impressive 550 Nm of torque and 187 kW of power. However, this SUV is not just about performance; it's a commitment to sustainability, ensuring a powerful yet eco-conscious journey.



3.3L | MILD HYBRID
TURBO
DIESEL



With meticulous attention to detail, the luxurious CX-60 3.3L Turbo Diesel Mild-Hybrid Takumi features opulent interiors, advanced technology, and a smooth, powerful ride that transforms every road trip into a luxurious adventure.

The Mazda CX-60 3.3L Turbo Diesel Mild-Hybrid is a powerful expansion on our luxurious SUV range. It perfectly showcases our passion for combining human-centric technology with the finest Japanese craftsmanship. Top-of-the-range features included in this vehicle are:

- Grille: Piano Black Bar
- 12-Inch Center Display Screen
- Reverse Camera
- 12 Speakers BOSE® Sound system
- Hands-free Liftgate
- 20" Alloy Wheels: Black Metallic+Machining
- Seat trim: Black Nappa Leather
- Power Lumbar (Driver & Passenger)
- Passive Collision Signal: Hazard & Brake
- 360° View Monitor + See-through-view
- Drive Selection: Towing Mode
- Drive Selection: Off-Road Mode
- Mazda radar cruise control (MRCC)
- Rear Combination Signature Lights (RCL)
- Front Combination Signature Lights (FCL): Bright
- Adaptive LED Headlamps (ALH)
- Daytime Running Lamps (DRL)
- Blind Spot Monitoring (BSM)
- Rear Cross Traffic Alert (RCTA)
- Distance & Speed Alert (DAS): Display Only
- Rear Side Radar
- Front Radar
- Front Side Radar
- Forward Sensing Camera (FSC)
- Rear Direction Base Safety
- Smart Brake Support (SBS)
- Driver Monitor (DM)
- Driver Attention Alert (DAA)
- Integrated Navigation
- Personalise System: Entry + Guide
- Intersection Brake Support:
 - Front Cross Traffic Alert (FCTA)
 - Hill Decent Control (HDC)
- Front Direction Base Safety
 - a. Lane Keep Assist System (LAS)
 - b. Lane Departure Warning System (LDWS)
 - c. Advanced Smart City Brake Assist (SCBS)
- Auto Dimming outer mirror
- Front Seat Ventilation (driver & passenger)
- Foot Light
- Door Courtesy Lamp (front & rear)
- Side Door Pocket Lamp (front & rear)
- AWD



CX-60 3.3L TURBO DIESEL MILD-HYBRID TAKUMI AWD FEATURES



3.3L POWERTRAIN

The Mazda CX-60 Takumi features a robust 3.3L powertrain with technological advancements that surpass other vehicles in its range. The larger engine gives a smooth and linear power delivery, contributing to a comfortable driving experience. Its larger fuel displacement capability also means it operates more efficiently on the highway, providing good fuel economy during cruising conditions. Built with robust components and construction this 3.3L engine leads to increased durability and a potentially longer lifespan.



TURBO DIESEL ENGINE

The Mazda CX-60 3.3L Turbo Diesel Mild-Hybrid engine is designed to deliver an exceptional blend of performance and power. Unlike traditional engines, this turbo diesel variant harnesses the force of a turbocharger to enhance combustion efficiency, delivering an impressive 550 Nm of torque and 187 kW of power. This translates into a more robust and dynamic driving experience, particularly during acceleration and overtaking.



MI-DRIVE TOWING FUNCTION

Mazda's Mi-Drive technology enhances the driving experience by providing drivers with the flexibility to choose between different driving modes, tailoring the vehicle's performance to their preferences and driving conditions. The Mi-Drive towing function, unique to the CX-60 Takumi, optimises power delivery and torque management, perfect for towing a trailer, camper, or other loads.



MHEV ENGINE TECHNOLOGY

Mazda CX-60's Mild-Hybrid Electric Vehicle (MHEV) engine technology holds significant importance in the automotive landscape. The MHEV technology contributes to an eco-conscious drive by combining an internal combustion engine with a small electric motor and a battery, contributing to environmental sustainability and fuel efficiency. By harnessing and storing energy during deceleration and braking, subsequently assisting the combustion engine during acceleration, the CX-60 Takumi not only reduces fuel consumption but also lowers emissions, aligning with global efforts toward sustainable transportation.

CX-60 3.3L TURBO DIESEL MILD-HYBRID TAKUMI AWD FEATURES



SKYACTIV TECHNOLOGY

The Mazda CX-60 3.3L Turbo Diesel Mild-Hybrid engine incorporates Mazda's exclusive SKYACTIV technology to optimise performance, fuel, efficiency, and emissions. SKYACTIV-D diesel engine technology enhances combustion efficiency, power and performance, while SKYACTIV Hybrid technology contributes to better fuel economy and reduced emissions. The synergy between SKYACTIV-D and this mild-hybrid technology underscores Mazda's commitment to a holistic approach to automotive innovation.



20" ALLOY WHEELS (BLACK & MACHINING)

The CX-60 3.3L Turbo Diesel Mild-Hybrid Takumi exudes a powerful and stylish presence, accentuated by its impressive 20" alloy wheels. These wheels not only contribute to the SUV's bold aesthetic but also play a crucial role in enhancing its performance and handling. The larger wheel size provides a commanding stance on the road, while the alloy construction ensures a balance between strength and reduced weight.



AUTO DIMMING AND HEATED OUTER MIRROR

Mazda introduces a touch of thoughtful luxury with its heated outer mirrors and auto-dimming mirrors. The heated outer mirrors provide clear visibility and illumination during the colder winter months, while the exterior auto-dimming mirrors help make your driving experience safer by reducing headlight glare when excessive light is detected from the rear of the vehicle.



CABIN SPACE

The CX-60 3.3L Turbo Diesel Mild-Hybrid Takumi's cabin reflects Mazda's commitment to craftsmanship and comfort, with high quality materials and attention to detail, such as ergonomic seating with excellent head and legroom, and advanced infotainment options. The CX-60 3.3L Turbo Diesel Mild-Hybrid Takumi's intelligent use of space makes it a compelling choice for those seeking a harmonious blend of performance, and interior comfort.

2.5L INDIVIDUAL AUTO AWD

2.5 Litre in-line 4 cylinder 16 valve
DOHC S-VT (SKYACTIV-G) petrol with i-stop



2.5L INDIVIDUAL AUTO FEATURES

- 12-Inch Center Display Screen
- 12 Speakers
- 360° View Monitor + See-through-view
- Adaptive LED Headlamps (ALH)
- Blind Spot Monitoring (BSM)
- BOSE® Sound system
- Daytime Running Lamps (DRL)
- Distance & Speed Alert (DAS): Display Only
- Drive Selection: Off-Road
- Drive Selection: Towing Mode
- Driver Monitor (DM)
- Forward Sensing Camera (FSC)
- Front Combination Signature Illumi
- Front Direction Base Safety
 - a. Lane Keep Assist System (LAS)
 - b. Lane Departure Warning System (LDWS)
 - c. Advanced Smart City Brake Assist (SCBS)
- Front Radar
- Front Side radar
- Grille: Piano Black Bar Type
- Integrated Navigation
- Intersection Brake Support: Front Cross Traffic Alert (FCTA)
- Hands Free Liftgate
- Hill Decent Control (HDC)
- Mazda Radar Cruise Control (MRCC)
- Mode
- Passive Collision Signal: Hazard & Brake
- Personalise System: Entry + Guide
- Rear Combination Signature Illumi
- Rear Cross Traffic Alert (RCTA)
- Rear Direction Base Safety
- Rear Side Radar
- Smart Brake Support (SBS)

2.5L INDIVIDUAL AUTO AWD FEATURES



PERSONALISE SYSTEM: ENTRY + GUIDE (DRIVER & PASSENGER)

This system will automatically adjust the driver's seat, steering wheel, HUD position and exterior mirrors based on body height and eye position. You no longer need to do this yourself; this is made possible by making use of a facial recognition camera.

That camera is also used to recognize the driver when entering the car again, the vehicle then knows how to make the right adjustments for that particular driver. Up to 200 saved settings can be restored immediately through facial recognition. Easy entry and exit by moving the seat backward and the steering wheel forward when entering or exiting the vehicle. Together with the personalisation settings, ADAS settings that the driver has made in Mazda connect are stored when the power switch is switched OFF.



MI (MAZDA INTELLIGENT) -DRIVE

Different driving circumstances demand for different vehicle reactions. Earlier the sports mode was introduced to change the vehicle's reaction to the accelerator pedal by reducing the pedal stroke to achieve full throttle and postpone gear changes to allow higher rpm's. No matter what the conditions are the CX-60 will have optimal grip, performance, road stability offering the highest level of safety.

Mi-Drive still controls gear change and pedal reaction but in addition it also controls the i-ACTIV AWD system and the Dynamic Stability Control. It leads to a vehicle that not only provides proper reaction during sporty driving but also during off road driving.



360° VIEW MONITOR + SEE-THROUGH-VIEW

Mazda's 360 View Monitor uses a four camera system that covers all sides of the vehicle to display a bird's-eye view of the car from above on the center display, as well as a choice of front, rear and left or right side views. The Mazda CX-60 adds See-Through View as a further evolution of the 360° View Monitor functionality.

It displays an image on the screen that seemingly allows the driver to see through the front and rear corners of the car from their viewpoint, making it easier to spot objects obscured by the vehicle's bodywork. This helps the driver remain fully aware of surrounding conditions when driving slowly in tight spaces such as parking lots and narrow alleys.



BLIND SPOT MONITORING

The Mazda CX-60 takes an important step towards enhanced safety with its Blind Spot Monitoring (BSM) system. This intelligent feature utilises radar sensors to monitor the vehicle's blind spots, alerting the driver to potential hazards with a visual or auditory signal if another vehicle is detected in the adjacent lanes. This technology provides an extra set of eyes, contributing to confident lane changes and mitigating the risk of collision caused by unseen vehicles.

2.5L INDIVIDUAL AUTO AWD FEATURES



MAZDA RADAR CRUISE CONTROL (MRCC)

The Mazda CX-60 introduces a new level of driving convenience with its Mazda Radar Cruise Control (MRCC). This innovative technology uses radar sensors to monitor the distance between your vehicle and the one ahead. The MRCC not only maintains a pre-set speed, but also adapts to the flow of the traffic, automatically adjusting your speed to keep a safe following distance. Whether cruising on the highway or navigating urban traffic, the CX-60's latest MRCC technology enhances both safety and comfort, reflecting Mazda's commitment to intelligent and responsive driving experiences.



BAR TYPE GRILLE

The CX-60 features a front grille with an adjusted aspect ratio that shows off the height of the grille more than other Mazdas. This acts to balance the look of the grille with the confident overall face expression. We also built illumination functionality into the signature wing to accentuate the powerful look of the grille even more. Unlike previous models, the CX-60 headlamp arrangement features vertically stacked lamps to create a new, rich expression that conveys the strength of an SUV. The lighting signature is L-shaped to enhance its symbolism, and its presence still expresses the eyes that looks straight ahead.

The expression of the eyes looking backwards are L-shaped to enhance its symbolism just like the headlights and the widely spread consecutive horizontal lighting signature expresses that its class above vehicle.



BOSE® SUPREME SOUND SYSTEM

Mazda's Bose® sound system is packed with high-performance speakers and cutting-edge technology intended to lift you straight out of the car and into a live concert experience. How you may ask. Well, we moved the woofers from the front doors to the sides of the front cowl, which has never been done before. This allows you to enjoy listening to music that sounds exactly as it was intended by its creators.



HANDS-FREE LIFTGATE

To open your liftgate, move your leg back and forth under the center of the rear license plate. Then step back to give the gate space to open.

Alternatively, you can use the button (which is used for the Power Liftgate feature- Dynamic grade) if you are unable or it is inconvenient at that point to wave your foot.

2.5L DYNAMIC AUTO 2WD

2.5 Litre in-line 4 cylinder 16 valve
DOHC S-VT (SKYACTIV-G) petrol with i-stop



2.5L DYNAMIC AUTO FEATURES

- 8 Speakers
- 10-Inch Center Display Screen
- Grille: Black Honey Comb
- Passive Collision Signal: Hazard
- Power liftgate
- Reverse Camera
- 20" Alloy Wheels: Silver Metallic
- Seat trim: Black Leather
- Power lumbar support (Driver)

2.5L DYNAMIC AUTO 2WD FEATURES



8-SPEED AUTOMATIC TRANSMISSION

In search of smooth transition between gears the fully automatic transmission has always been in favour.

Thanks to the absence of a torque converter the automatic gearbox of the CX-60 gives the driver the feeling of having a manual transmission but with the comfort of an automatic transmission.



LARGER HEAD-UP DISPLAY (HUD)

As part of the Human machine interface (HMI), The Mazda CX-60 is equipped with a 10° x 3° head up display (HUD)—approximately three times larger than that of our 7G small vehicles. The HUD offers drivers more peace of mind while on the road by reducing unnecessary changes to the driver's line of sight.



MAZDA CONNECT WITH ANDROID AUTO™ AND WIRELESS APPLE CARPLAY®

The Mazda CX-60 features the latest version of Mazda Connect, which includes enhancements such as a quicker start up, improved image and sound quality, and a free word search function that lets users search for destinations by entering a combination of keywords.

The system supports Android Auto™ and wireless Apple CarPlay®, to ensure a convenient user experience with smart phone integration.



SEATING

The seat back of the CX-60 seat supports more in the lower half of the driver, which enables a driver feel the vehicle's movement better, comparing to the other models whose seat back supports whole back of a driver rather evenly.

Results in:

- Less fatigue due to a natural seating position
- Improved safety because pedals can be found intuitively
- More convenient steering wheel adjustment thanks to electric motors
- Electric steering wheel adjustment allows for the steering wheel to be part of easy entry system
- Human Centric development results in receiving vehicle feedback in the most natural way

2.5L DYNAMIC AUTO 2WD FEATURES



12" TFT METER DISPLAY

The second part of the Human machine interface (HMI), is the increased size of the instrument cluster TFT screen from 7" to a full LCD 12.3" display. As well as being compatible with Driving Assist Mode and safety warning display, the full LCD instrument cluster also works with our Driver Personalisation System, which optimizes display visibility for individual drivers. In addition, the instrument cluster is programmed with a dramatic opening effect and dramatic effects for each of the Mazda Intelligent Drive Select (Mi-Drive) modes - sports, normal, towing and off road.

This contributes to enhanced visibility and a driving environment that is safer and more stress-free, as well as helping drivers immerse themselves more in the drive by making the experience more enjoyable and exciting.



SAFETY

The CX-60 features even more advanced safety technologies that not only protect the driver and their passengers, but also protect others using the road. Including Lane Assist Systems, Lane Departure Warning Systems and Advanced Smart City Brake Assist, giving you more confidence to get where you are going.



SEAT TRIM: BLACK LEATHER

Elevating its interior to a new level of sophistication, the CX-60 Dynamic boasts black leather seat trim that epitomises luxury and style. The meticulous craftsmanship and premium materials used in the creation of these seats enhances both comfort and aesthetics. The dynamic black leather exudes a timeless elegance while providing a refined touch to your driving experience.



PANORAMIC ROOF

The 950 mm (W) x 1,021 mm (L) panoramic roof and its peripheral parts were meticulously designed to allocate as much surface area to the window as possible to increase the field of view and light range for passengers in the rear seats.

The outstanding visibility and brightness of the panoramic roof offers not only the driver, but all occupants, a more enjoyable, fun drive.

SPECIFICATIONS

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Powertrain			
Engine type	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-Stop	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-Stop	3.3 litre in-line 6 cylinder SKYACTIV-D MHEV48 diesel with i-stop
Bore and stroke	89.0 mm x 100.0 mm	89.0 mm x 100.0 mm	86.0 mm x 94.2 mm
Compression Ratio	13.0:1	13.0:1	15.2:1
Engine Capacity	2488 cc	2488 cc	3283 cc
Power (kW @ rpm) - Engine	141 @ 6,000	141 @ 6,000	187 @ 3,750
Power (kW @ rpm) - Electric Motor	-	-	12.4/900
Torque (Nm @ rpm) - Engine	261 @ 3,000	261 @ 3,000	550 @ 1,500-2,400
Torque (Nm @ rpm) - Electric Motor	-	-	153/200
Acceleration 0 - 100 km/h	9.6	9.9	7.3
CO2 Emission (g/km)	170	180	123
Emissions Standard	Euro stage IV	Euro stage IV	Euro stage IV
Fuel Consumption - Combined (L/100km)	7.3	7.7	4.9
Fuel Tank Capacity (L)	58	58	58
Top Speed (w/limiter) (km/h)	203	201	219
Transmission			
Type	8-Speed Auto	8-Speed Auto	8-Speed Auto
Gear Ratio 1st	4.912	4.912	5.258
Gear Ratio 2nd	3.200	3.200	3.303
Gear Ratio 3rd	2.168	2.168	2.129
Gear Ratio 4th	1.729	1.729	1.705
Gear Ratio 5th	1.290	1.290	1.322
Gear Ratio 6th	1.000	1.000	1.000
Gear Ratio 7th	0.843	0.843	0.807
Gear Ratio 8th	0.651	0.651	0.628
Reverse	4.163	4.163	3.352
Final Drive	4.181	4.181	3.692
Drive Selection: Sports	•	•	•
Drive Selection: Towing (Mi Driver)	-	•	•
Drive Selection: Off-Road (Mi Driver)	-	•	•

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Chassis			
Suspension type - Front	Double wishbone	Double wishbone	Double wishbone
Suspension type - Rear	Multi-link	Multi-link	Multi-link
Brake type - Front	Ventilated disc	Ventilated disc	Ventilated disc
Brake type - Rear	Ventilated disc	Ventilated disc	Ventilated disc
Diameter Front (mm)	328	328	328
Diameter Rear (mm)	328	328	328
Electronic Power Assist Steering	•	•	•
Turning circle wall-to-wall (diameter)	11.7	11.7	11.7
Departure Angle (degree)	20	20	20
Approach Angle (degree)	18.6	18.5	18.5
Weights and Capacities			
Gross Vehicle Weight (kg)	2,294	2,342	2,493
Towing mass (kg) braked	1,500	1,500	1,500
Towing mass (kg) unbraked	750	750	750
Luggage volume (L) (all seats up to tonneau cover)	477	477	477
Luggage volume (L) (rear seats folded down)	1,148	1,148	1,148
Ground Clearance (mm) Unladen	179.2	178.8	177.6
Roof Carrier (max roof load capacity) (kg)	75	75	75
Exterior Dimensions (mm)			
Length w/ license plate holder	4,745	4,745	4,745
Width mirror to mirror (opened)	2,134	2,134	2,134
Height (unladen)	1,687.9	1,687.5	1,686.3
Wheelbase	2,870	2,870	2,870
Front tread	1,640	1,640	1,640
Rear tread	1,645	1,645	1,645
Front overhang (w/ license plate holder)	855	855	855
Rear overhang	1,020	1,020	1,020

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Interior Dimensions (mm)			
Cargo room (height from floor to roof)	800	800	800
Cargo room (height from floor to tonneau cover)	498.5	498.5	498.5
Threshold (height from ground)	740	740	740
Leg room (front)	1,058	1,058	1,058
Leg room (rear)	990	990	990
Shoulder room (front)	1,504	1,504	1,504
Shoulder room (rear)	1,441	1,441	1,441
Exterior			
LED Headlamps	•	•	•
Adaptive LED Headlamps (ALH)	-	•	•
Headlamps: Auto on/off	•	•	•
Auto Headlamps Levelling	•	•	•
Daytime Running Lamps (DRL)	-	•	•
Front Combination Lamps (FCL)	-	Dark	Bright
Rear Combination Lamps (RCL)	-	•	•
Front Foot Lamp: LED (D&P)	•	•	•
Smart Keyless Entry	•	•	•
Outer Mirrors -Turn lamp located in side mirror	•	•	•
Outer Mirrors -Heated	•	•	•
Outer Mirrors -Power fold	•	•	•
Outer Mirrors -Auto fold	•	•	•
Outer Mirrors -Auto dimming	-	-	•
Outer Mirrors -Body colour	•	•	•
Outer Mirrors -Adj. memory	•	•	•
Outer Mirrors -Indicator mirrors	•	•	•
Sunroof (electric)	Panoramic	Panoramic	Panoramic
Privacy glass (Front): Green UV Cut	•	•	•
Privacy glass (Rear and Back): Dark	•	•	•
High mounted stop lamp: LED	•	•	•

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
License Lamp	•	•	•
Roof spoiler (body colour)	•	•	•
Roof spoiler (body colour)	•	•	•
Rear deflector	•	•	•
Front rain-sensing wipers with intermittent function	•	•	•
Rear wiper & washer with intermittent function	•	•	•
Radiator Grille	Honey-Comb	Bar Type	Bar Type
Front Bumper Lower	Black	Black	Body colour
Rear Bumper Guard	Material colour	Material colour	Body colour
One touch turn signal (3 flash)	•	•	•
Turn Signal Switch: Left side	•	•	•
Liftgate	Power	Hands-free	Hands-free
Side garnish	Black	Black	Body colour
Wheel arch moulding	Black	Black	Body colour
Sail Garnish	Black	Black	Piano Black
B-Pillar & C-Pillar Garnish	Black	Black	Piano Black
Sidesill Stone Guard	•	•	•
Interior			
Seating Capacity	5	5	5
Rear seat fold down (40:20:40)	•	•	•
Rear seat recline	•	•	•
Boot rear seat fold-down lever	•	•	•
Head-Up Display (HUD): Windshield display	•	•	•
Leather-wrapped steering wheel	•	•	•
Auto paddle transmission switches	•	•	•
Multi-function steering wheel with audio controls	•	•	•
Tilt and telescopic adjustable steering wheel	Electric	Electric	Electric
Cruise Control	•	•	•
Mazda radar cruise control (MRCC) (w/o stop & go)	-	•	•
Sunvisor w. vanity mirror & illumination	w. ticket holder	w. ticket holder	w. ticket holder

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Coat Hook: Rear x2	•	•	•
Assist grips x4 (Front & Rear)	•	•	•
Glove Box: LED	•	•	•
Interior room lamp: LED	•	•	•
Glove Box Flock Lining	•	•	•
Coin Box	•	•	•
Front down light	•	•	•
Rear room lamp: w/Spot Lamp	LED	LED	LED
Center Panel Dashboard	Leather-like	Leather-like	Leather
Inner door side panel trim	Vinyl Leather	Vinyl Leather	Vinyl Leather
Leather-wrapped shift knob	•	•	•
Air-conditioning: Dual-zone climate control	•	•	•
Rear Vent Cooler	•	•	•
Push start ignition	•	•	•
Trip Computer	•	•	•
Digital instrument cluster	•	•	•
Meter display	12-inch	12-inch	12-inch
Power windows (Front & Rear)	•	•	•
Window one touch system (Front & Rear: Up & Down)	•	•	•
Frameless Auto-dimming rear view mirror	•	•	•
Personalisation system (w. easy entry & guide driving position)	-	•	•
Seat trim	Black Leather	Black Leather	Black Nappa Leather
Front seat adjustment - Tilt	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)
Front seat adjustment - Lift	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)
Front seat adjustment - Slide	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)
Front seat adjustment - Recline	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)
Power lumbar support	Driver	Driver	Driver & Passenger

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Front Seat Ventilation	-	-	Driver & Passenger
Height adjustable seat (Driver & Passenger)	•	•	•
Electronic Parking Brake (EPB)	•	•	•
Padded Console Knee Pads	Leather-like	Leather-like	Leather-like
Front centre console: x2 cupholders	•	•	•
Rear centre console: x2 cupholders	•	•	•
Rear seat armrest: x2 USB ports	•	•	•
Power Outlet Socket w.cover (front & boot)	•	•	•
Overhead sunglass holder	•	•	•
Door courtesy lamp	-	-	Front & Rear
Side door pocket lamp	-	-	Front & Rear
Side Trim Indirect Illuminum	-	-	Front & Rear
Rear tonneau cover (boot)	•	•	•
Boot lamp: LED	•	•	•
Pillar and Ceiling top colour	Light	Light	Black
Luggage hooks x4	•	•	•
Floor Mats	•	•	•
Infotainment			
MZD Connect System	•	•	•
Center Display Screen	10-inch	12-inch	12-inch
Commander Dial	•	•	•
Android Auto™ & Wireless Apple CarPlay®	•	•	•
Wireless Charging (Qi)	•	•	•
USB connectivity	Type-C	Type-C	Type-C
Bluetooth® hands free system	•	•	•
Speaker quantity	8	12	12
BOSE® Sound system	-	•	•
Integrated Navigation	0	•	•

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Safety and Security			
Airbags SRS: Driver, Passenger, Side, Curtain & Knee (Driver only)	7	7	7
Anti-locking Breaking System	•	•	•
Electronic Brake-Force Distribution (EBD)	•	•	•
Emergency Brake Assist (EBA)	•	•	•
Auto shift lock	•	•	•
Dynamic Stability Control (DSC)	•	•	•
Trailer Stability Assist (TSA)	•	•	•
Auto hold	•	•	•
Hill Hold Assist (HHA)	•	•	•
Hill Decent Control (HDC)	-	•	•
Burglar Alarm System	•	•	•
Engine immobiliser	•	•	•
Door ajar IP warning lamp (Front &Rear)	•	•	•
Central locking (Driver)	•	•	•
Door Lock: One Touch Release (Driver &Passenger)	Driver & Passenger	Driver & Passenger	Driver & Passenger
Auto door lock	•	•	•
Power door lock (Double Action)	•	•	•
Occupant Monitor System (Front)	•	•	•
Seat-belt ELR (Emergency Locking Retractor) pretensioner (Driver & Passenger)	•	•	•
Seat-belt warning (Front & Rear)	•	•	•
Seat-belt 3-point lap-sash (all seats)	•	•	•
Child restraint anchor points (ISOFIX) x2	•	•	•
Blind Spot Monitoring (BSM)	-	•	•
Rear Cross Traffic Alert (RCTA)	-	•	•
Forward Sensing Camera (FSC)	-	•	•
Driver Attention Alert (DAA)	-	•	•

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Front radar	-	•	•
Front side radar	-	•	•
Rear side radar	-	•	•
Front sonar (center & corner)	•	•	•
Rear sonar (center & corner)	•	•	•
Driver Monitor (DM)	-	•	•
Distance & Speed Alert (DAS): Display Only	-	•	•
Rear Direction Base Safety	-	•	•
Front Direction Base Safety	-	•	•
- Lane Departure Warning System (LDWS)	-	•	•
- Lane-keep Assist System (LAS)	-	•	•
- Advanced Smart City Brake Assist (SCBS)	-	•	•
Parking Sensors: (Front & Rear)	•	•	•
Reverse Camera	•	•	•
360° View Monitor	-	•	•
See-through View	-	•	•
Smart Brake Support (SBS)-RC	-	•	•
Intersection Brake Support: Front Cross Traffic Alert (FCTA)	-	•	•
Emergency Stop Signal (ESS)	•	•	•
Passive Collision Signal	Hazard	Hazard and Brake	Hazard and Brake
Post crash fuel cut-off system	•	•	•
Jack-Pantograph	•	•	•
Lever-Jack	•	•	•
Wrench-Hub Nut	•	•	•
Screwdriver & Spanner	•	•	•
Hazard signal plate	•	•	•

COLOUR RANGE

Mazda CX-60	2.5L Dynamic Auto RWD	2.5L Individual Auto AWD	3.3L DE Takumi Auto AWD
Wheels and Tyres			
Alloy Wheels	Silver Metallic	Silver Metallic	Black Metallic + Machining
Tyre size	235/50 R20	235/50 R20	235/50 R20
Wheel size	20X 7-1/2J	20X 7-1/2J	20X 7-1/2J
Tyre size (Spare)	T155/90D18	T155/90D18	T155/90D18
MazdaCare			
Service Plan	5 Years/Unlimited km	5 Years/Unlimited km	5 Years/Unlimited km
Service Intervals	15 000km	15 000km	15 000km
Warranty	5 Years/Unlimited km	5 Years/Unlimited km	5 Years/Unlimited km
Roadside Assistance	5 Years/Unlimited km	5 Years/Unlimited km	5 Years/Unlimited km

• = Standard

o = Optional

- = Not Available



SOUL RED CRYSTAL



MACHINE GREY



DEEP CRYSTAL BLUE



RHODIUM WHITE METALLIC



ARCTIC WHITE



PLATINUM QUARTZ



SONIC SILVER



JET BLACK

5-YEAR MAZDA UNLIMITED KILOMETRE WARRANTY

Every Mazda is designed and built to the highest standards of performance and reliability. For reassurance, our Mazda vehicles are backed up by a 5-year Unlimited Kilometre Factory Warranty.

5-YEAR MAZDA UNLIMITED KILOMETRE SERVICE PLAN

Mazda has designed a service plan to suit your needs. It covers scheduled services for 5-years, regardless of your mileage. The service plan operates alongside the Mazda Unlimited Kilometre Warranty.

5-YEAR MAZDA ROADSIDE ASSISTANCE

Mazda cares about your peace of mind. That's why we offer a 5-year Unlimited Roadside Assistance Plan. It includes toll-free calls and services such as emergency medical help and free towing rescue due to minor or major mishaps.

MAZDA MAINTENANCE CHECK SHEET

Petrol and Diesel Vehicle Check Sheet CX-60

DISTANCE AND TIME MAINTENANCE INTERVALS	SERVICE INTERVAL IN 15 000 KM																		
	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	216
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270	270
PETROL ENGINES																			
Fuel filter				R				R			R					R			
Spark plugs								R								R			
Deposit cleaner (SKYACTIV engines only)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Evaporative system (if installed)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
DIESEL ENGINES																			
Valve Clearance (Where applicable)				S				S			S					S			
Fuel Filter				R				R			R					R			
Fuel Injection System*(1)	I			I			I			I			I			I			I
PETROL AND DIESEL ENGINES																			
Drive belts*(2)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Engine oil*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Engine oil filters*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Cooling system	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Engine coolant*(4)	Replace at first 200 000 km or 10 years and every 100 000 km or 5 years after the initial replacement.																		
Air filter*(5)	C	R	C	R	C	R	C	R	C	R	C	R	C	R	C	R	C	R	C
Cabin air filter, pollen filter, cooling unit filter*(5)	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I
Fuel lines and hoses	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Battery electrolyte level and specific gravity*(6)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Brake lines, pipes, hoses and connections	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Brake fluid*(7)	I	I	I	I	I	R	I	I	I	I	I	R	I	I	I	I	I	I	R
Parking brake	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Power brake unit	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Disc brakes	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Steering operation and linkages	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Automatic Transmission/Gearbox oil	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Differential oil*(8)*(9)	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	I	R	I	I
Transfer Case Oil *(9)	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	I	R	I	I
Front and rear suspension, ball joints, stabilizers, alignment	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Drive shafts, propeller shafts, dust boots, CV joints	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Exhaust system and heat shields	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
All body and chassis bolts and nuts	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
Body condition, corrosion, perforation, general condition	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Tires, including the spare wheel	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Tire rotation and wheel alignment*(10)	Every 15 000 km of 1 year																		

SERVICE INSPECTION SYMBOLS

I - Inspect
R - Replace
C - Clean
S - Set

REMARKS

*(1) - Implement fuel injection amount correction.

*(2) - Also inspect all auxiliary belts, if installed. If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
a) Driving in dusty conditions or in a mining area.
b) Extended periods of idling continuous low-speed operation.
c) Short distance driving.
d) Operating the vehicle in extreme cold or hot

conditions for long periods.
e) Driving the vehicle in mountainous conditions for long periods.

*(3) - Use only manufacturer-specified coolant.

*(4) - If the vehicle is operated in dusty or sandy areas, the filters must be inspected, cleaned or replaced more regularly (Servicing Dealer to advise customer accordingly).

*(5) - If operating the vehicle in extreme cold or heat, inspect electrolyte and specific gravity more regularly (Servicing Dealer to advise customer accordingly).

*(6) - Replace the brake fluid more regularly if the vehicle is continuously loaded, driven in mountainous conditions, exposed to hard driving conditions or operated in humid conditions.

*(7) - If the vehicle is subjected to the following conditions, the differential oil need to be replaced at 60 000 km.
a) Towing.
b) Driving in dusty conditions or in a mining area.
c) Short distance driving.
d) Operating the vehicle loaded continuously.
e) Driving the vehicle in mountainous conditions for long periods.

*(8) - Replace if the component or vehicle was submerged.

*(9) - Perform wheel alignment more regularly if the vehicle is used on rougher road surfaces, driven off-road or on dirt roads (Servicing Dealer to advise customer accordingly).

MAZDA CX-60 SERVICE AND PRICING GUIDE

Take the guesswork out of service pricing. Use the service schedule guide below to view current service details and costs.*

YOUR SERVICE SUMMARY

MAZDA CX-60 2.5 INDIVIDUAL AWD AUTOMATIC																	
Service Interval	15000	30000	45000	60000	75000	90000	105000	120000	135000	150000	165000	180000	195000	210000	225000	240000	255000
Service Cost*	R 2,328.08	R 4,479.62	R 2,328.08	R 4,686.62	R 2,328.08	R 4,665.92	R 2,328.08	R 16,909.46	R 2,328.08	R 4,479.62	R 2,328.08	R 4,872.92	R 4,335.41	R 4,479.62	R 2,328.08	R 16,909.46	R 2,328.08
Parts	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 11,097.83	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 2,232.42	R 1,637.82	R 486.92	R 11,097.83	R 486.92
Labour	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 2,250.00	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 2,250.00	R 900.00
Consumables	R 637.50	R 637.50	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 1,356.05	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 637.50	R 637.50	R 1,356.05	R 637.50

MAZDA CX-60 2.5 DYNAMIC 2WD AUTOMATIC																	
Service Interval	15000	30000	45000	60000	75000	90000	105000	120000	135000	150000	165000	180000	195000	210000	225000	240000	255000
Service Cost*	R 2,328.08	R 4,479.62	R 2,328.08	R 4,686.62	R 2,328.08	R 4,665.92	R 2,328.08	R 16,004.93	R 2,328.08	R 4,479.62	R 2,328.08	R 4,872.92	R 4,335.41	R 4,479.62	R 2,328.08	R 16,004.93	R 2,328.08
Parts	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 11,097.83	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 2,232.42	R 1,637.82	R 486.92	R 11,097.83	R 486.92
Labour	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 1,980.00	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 1,980.00	R 900.00
Consumables	R 637.50	R 637.50	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 1,356.05	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 637.50	R 637.50	R 839.50	R 637.50

*VAT inclusive

The total service price is the base scheduled maintenance, plus any additional scheduled maintenance items that are required. Base scheduled maintenance is due every 15,000 km but no longer than 12 months, whichever comes first.

Disclaimer:

- Prices are subject to change without prior notice.
- The suggested price in no way dictates what is charged at each individual Mazda Dealer and should, therefore, be treated as a guideline only. Consumables include the below; however, not all consumables are included on every service.
- Takumi service summary pending finalization. A comprehensive Service Summary will be made available once the details are finalized.

LUBRICANTS & CONSUMABLES			
1. Engine Oil	2. Manual Gearbox/Transmission Oil	3. Rear Differential Oil	4. Front Differential Oil
5. Mazda Deposit Cleaner	6. Automatic Gearbox/Transmission Oil	7. Brake Fluid	8. Anti-freeze

MADE
WITH
SOUL



MAZDA



MAZDA CX-60

5
YEAR
UNLIMITED KM
WARRANTY AND
SERVICE PLAN

MAZDA.CO.ZA

